




DAIKIN SKYFI – DUCTED CONTROLLER



Daikin SKYFi



Daikin SKYFi puts your heat pump's frequently used functions at your fingertips with an easy to use app.

In conjunction with Daikin's BRP15A61 SKYFi Interface*, the easy to use Daikin SKYFi controller lets you use your smartphone or tablet to control your Daikin Ducted heat pump via Wi-Fi or the internet.

Compatibility

New Heat Pumps

The BRP15A61 SKYFi Interface can be fitted to all new Daikin Ducted heat pumps at the time of installation.

Installation charges may apply – contact your Daikin Specialist Dealer for more details on pricing and the installation process.

Existing Heat Pumps

All Daikin Ducted heat pumps manufactured since 2003 are potentially Wi-Fi capable with the addition of Daikin's BRP15A61 SKYFi Interface.

Note: Daikin's remote control communications protocol supports a maximum of two controllers. As the Daikin SKYFi control interface is recognised as a controller it cannot be installed on an existing system that already has two remote controllers attached (eg one downstairs and one upstairs).

Your Daikin Specialist Dealer can assess your system and, if compatible, install Daikin SKYFi in your home. Contact your local Daikin Specialist Dealer for pricing.

Adding Zone Control

For Zone Control functionality your Daikin Ducted heat pump must be fitted with a Daikin Zone Controller (models BRC24Z4, BRC24Z8, BRC230Z4 or BRC230Z8) and associated zone control dampers.



* Interface and installation charges may apply – Contact your Daikin Specialist dealer for more information.

Install SKYFi

In order to use the Daikin SKYFi controller, a SKYFi Interface card must be fitted to your heat pump.

Once installed, the SKYFi Interface card allows you to manage your heat pump via the SKYFi app.

A one-off Installation charge for the SKYFi Interface card may apply, contact your Daikin Specialist Dealer for details.

Install The App



The Daikin SKYFi app is available for download, free from the iTunes store (iOS devices) or from Google Play (Android devices), simply download and install as you would any other app.

Future updates and enhancements will be made available free via the app stores as they are introduced.

How To Connect

1. Direct Connection

If you don't have a home Wi-Fi network, Daikin SKYFi will act as a Wi-Fi access point, so you can connect a single smartphone or tablet directly to your heat pump when in range within your home.

2. Wi-Fi Connection

If you have a home or local Wi-Fi network, your Daikin SKYFi enabled heat pump can be joined to your network by entering your network credentials in the Wi-Fi control app.

Once connected to your Wi-Fi network, you can control your heat pump from any networked Android or iOS device.

3. Remote Access

If your Wi-Fi network has a permanent internet connection then you can control your heat pump from anywhere your smartphone or tablet can connect to the internet.

Available free, with no subscription costs from Daikin, Daikin SKYFi's Remote Access means you can monitor and control your system from virtually anywhere, turning it on and off, or adjusting your in-home temperature settings, for a comfortable environment ready for when you arrive home.

With remote access, SKYFi also receives the latest SKYFi system updates automatically, so you'll always have access to the latest features as they're released.

Key Functions

Your heat pump's main functions – On / Off, temperature, fan speed and operation mode are easily set or monitored via the app.

Additional functions such as easy set on/off timers, system configuration, maintenance functions and Dealer contact details are also available, for complete control of your in-home comfort via your Wi-Fi network or internet connection.



[^] If fitted to your heat pump

Zone Control

If your heat pump is fitted with a Daikin Zone Controller, Daikin SKYFi automatically detects and displays your zones, so you can easily monitor and control each zone with a single tap. You can even name each zone, making it easy to remember which zone is which.

Depending on your model of heat pump, indoor and outdoor temperature is also displayed on the app.





Features

FUNCTION			SYSTEM TYPE		
			Ducted	Ducted With Zone Control	Cassette or Under Ceiling
User Functions	Basic Setting	Power On/Off	•	•	•
		Temperature Setting	•	•	•
		Fan Speed Setting	•	•	•
		Mode Selection	•	•	•
		Zone Control (on/off)		•	
		Air Flow Direction			•
	Timer Function	On Timer (quick set)	•	•	•
		Off Timer (quick set)	•	•	•
	Setup	Configure Wi-Fi Settings	•	•	•
		Customisable Zone Names		•	
Additional Functions	Error Codes and Model Name		•	•	•
	Internet Connectivity*		•	•	•
	Over the Air Firmware Upgrade*		•	•	•
	Operation Without Wi-Fi Access Point		•	•	•
	Secure Connection to Wi-Fi Network		•	•	•
	Room Temperature Display		•	•	•
	Outdoor Temperature Display#		•	•	•
	Filter Clean Reminder		•	•	•
	Filter Sign Reset		•	•	•
Installer Settings	Enter Service Contact Details		•	•	•

* Requires permanent local Wi-Fi connection with internet connectivity
 # Not supported on some models –
 Contact your Daikin Specialist Dealer for more information

Specifications

Interface Controller	BRP15A61
Wi-Fi Protocol	802.11b, 802.11g
Required Operating System	iOS4 / Android 2.2 or above
Security Protocols	WEP-128, WPA-PSK(TKIP), WPA2.PSK(AES)



Daikin Australia Pty Limited (ISO 9001)
 QEC 23256 May 12, 2006
 Sydney, Brisbane, Adelaide, Melbourne, Newcastle, Townsville, Perth, Auckland

Daikin Australia Pty Limited (ISO 14001)
 CEM 20437 October 27, 2006
 Sydney, Brisbane, Adelaide, Melbourne, Perth

Your Daikin Specialist Dealer:



Daikin Australia Pty. Limited
Australia – 62-66 Governor Macquarie Drv, Chipping Norton, 2170 – Australia
 T. 1300 638 300 – sales@daikin.com.au – www.daikin.com.au
New Zealand – Unit C, 525 Great South Rd, Penrose, Auckland – New Zealand
 T. +64 9 571 1101 – sales@daikin.co.nz – www.daikin.co.nz

This brochure is drawn up by way of information only and does not constitute an offer binding upon Daikin Australia Pty. Limited. Daikin Australia Pty Limited, has compiled the content of this leaflet to the best of its knowledge. No express or implied warranty is given for the completeness, accuracy, reliability or fitness for particular purpose of its content and the products and services presented therein. Specifications are subject to change without prior notice. Daikin Australia Pty Limited explicitly rejects any liability for any direct or indirect damage, in the broadest sense, arising from or related to the use and/or interpretation of this leaflet. All content is copyrighted by Daikin Australia Pty Limited